

1. Product and Company Identification

Material name CH205A

Use of the preparation Inkjet printing.

Version # 01

Revision date 04-04-2009 CAS# Mixture

ColorSpan 0900461-004 Synonym(s) Company identification **Hewlett-Packard Company** 3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomeringuiries@hp.com

Apr 03, 2009 **Date prepared** 378199 MSDS number

2. Hazards Identification

Emergency overview Contains Humectant; Contact with eyes may cause irritation.

Acute health effects

Skin contact Avoid contact with the skin. Prolonged and/or repeated skin contact may result in mild irritation

or redness.

Eye contact Avoid contact with eyes. Contact with eyes may cause irritation. Inhalation Exposure to oil mist/fume/vapor may cause respiratory tract irritation.

Ingestion Contains ethylene or diethylene glycol, may cause central nervous system depression, liver

and kidney damage. Harmful if swallowed.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

Potential health effects

Potential routes of exposure under normal use conditions are skin, eye contact and inhalation. Routes of exposure

Ingestion is not expected to be a primary route of exposure for this product under normal use

conditions.

Carcinogenicity Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified

as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight	
Water	7732-18-5	70-97	
Diethylene glycol	111-46-6	1-10	
Humectant		1-10	
Acrylic Polymer	Polymer	0.05-5	
Carbon black	1333-86-4	0.05-5	

Material name CH205A MSDS US Creation date Nov 18, 2008 Version number 1



Composition comments Carbon black is present only in a bound form in this preparation.

4. First Aid Measures

First aid procedures

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. Get medical attention.

Skin contact In case of contact, immediately remove contaminated clothing and flush skin with copious

amounts of water.

Wash clothing separately before reuse.

Inhalation In case of accident by inhalation: remove casualty to fresh air and keep at rest. Get medical

attention, if needed. If not breathing, give artificial respiration or give oxygen by trained

personnel.

Ingestion In the unlikely event of swallowing contact a physician or poison control center.

5. Fire Fighting Measures

> 200 °F (> 93.3 °C) Closed Cup; Flash point and method

Hazardous combustion

products

Carbon monoxide and carbon dioxide.

Extinguishing media

Suitable extinguishing

media

Use any media suitable for the surrounding fires.

Protection of firefighters

Protective equipment and precautions for firefighters

Wear suitable protective equipment.

6. Accidental Release Measures

Avoid contact with skin. Do not touch or walk through spilled material. Personal precautions

Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor

formation use a respirator with an approved filter.

Environmental precautions

Methods for cleaning up

Do not flush into surface water or sanitary sewer system.

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste

container. Clean up in accordance with all applicable regulations.

Clean-up methods - small spillage; Flush area with flooding quantities of water.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing. Use personal protective equipment as required.

Use only with adequate ventilation. When using, do not eat, drink or smoke.

Storage Keep out of the reach of children. Keep tightly closed in a dry, cool and well-ventilated place.

Store at room temperature.

8. Exposure Controls / Personal Protection

Personal protective equipment

General Eye wash fountain and emergency showers are recommended.

Eye / face protection Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection Wear appropriate chemical resistant clothing.

Wear appropriate chemical resistant gloves.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this Respiratory protection

product under normal use conditions.

Provide adequate ventilation.

General hygeine Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. considerations

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after

handling the product.

Launder contaminated clothing before reuse.

Material name CH205A MSDS US Creation date Nov 18, 2008 Version number 1 2/5



9. Physical & Chemical Properties

Color Black

Not available. **Odor threshold Physical state** Liquid.

Form Aqueous solution.

pН

< 32 °F (< 0 °C) **Melting point** Not available. Freezing point

> 212 °F (> 100 °C) **Boiling point**

Flash point > 200 °F (> 93.3 °C) Closed Cup;

Not available. **Evaporation rate Flammability** Not available. Not available. Flammability limits in air,

upper, % by volume

Flammability limits in air,

lower, % by volume

Not available.

Not available. Vapor pressure Not available. Vapor density

Specific gravity

Not available. Relative density Miscible Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature

Not available. Not available. **Decomposition temperature**

< 200 g/L

10. Chemical Stability & Reactivity Information

Chemical stability Stable under normal storage conditions.

Incompatible materials None established.

Possibility of hazardous

reactions

VOC

Hazardous polymerisation does not occur

11. Toxicological Information

Acute toxicity No information available.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Carcinogenicity

Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when

it remains bound within a product matrix, specifically, rubber, ink, or paint.

IARC Monographs on Occupational Exposures to Chemical Agents: Evidence of carcinogenicity in humans

Carbon black (1333-86-4) Inadequate data.

US ACGIH Threshold Limit Values: A4 carcinogen

Carbon black (1333-86-4) Group A4 Not classifiable as a human carcinogen.

Not mutagenic in AMES Test. Mutagenicity

Symptoms and target organs

Target Organs (NIOSH)

Carbon black (1333-86-4) Eyes

Respiratory system Carbon black (1333-86-4)

Material name CH205A MSDS US Creation date Nov 18, 2008 Version number 1 3/5



12. Ecological Information

Ecotoxicity No data is available on the product itself.

Not available. Persistence and degradability

13. Disposal Considerations

Dispose of in compliance with federal, state, and local regulations. Do not allow this material **Disposal instructions**

to drain into sewers/water supplies.

14. Transport Information

IATA

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or

orders under TSCA.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

Section 311 hazardous

No

No

chemical

State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

Carbon black (1333-86-4) Listed Diethylene glycol (111-46-6) Listed.

16. Other Information

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0 Personal protection: B

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Issue date Apr 3 2009 9:26PM

Revision

Replaces sheet dated Apr 3 2009 6:11AM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Material name CH205A MSDS US Version number 1



Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Manufacturer information Hewlett-Packard

11311 K-Tel Drive

Minnetonka, MN 55343 US

Product Information 1-800-925-0563

Material name CH205A MSDS US

Creation date Nov 18, 2008 Version number 1 5 / 5